

DESIGN REVIEW GUIDELINES

FOR

FAIRWAY AT REDHAWK ASSOCIATION

Adopted by the Board of Directors

REVISED: May 2019

REVISED: June 2020

REVISED: January 10, 2022

REVISED: July 11, 2022

REVISED: March 13, 2023

REVISED: November 14, 2024

REVISED: April 14, 2025

REVISED: February 9, 2026

**FAIRWAY AT REDHAWK ASSOCIATION
DESIGN REVIEW GUIDELINES**

TABLE OF CONTENTS

Purpose	Page 1
Guidelines	Page 2-4
Architectural Standards	Page 4-18
General Conditions	Pages 18-19
Notice of Completion/Variance	Page 19
Home Improvement Form - Exhibit A	Page 20-23
Impacted Neighbor Statement - Exhibit B	Page 24-25
Paint Color Diagram - Exhibit C	Page 26
Notice of Completion - Exhibit D.....	Page 27
Disclaimer	Page 28

**DESIGN REVIEW GUIDELINES
FOR
FAIRWAY AT REDHAWK ASSOCIATION**

I. PURPOSE

As set forth in the Declaration of Restrictions, the Design Review Committee is vested with the power to review and approve architectural proposals or plans for all residential Lots and Dwellings for Fairway at Redhawk Association. Such improvements include, without limitation, painting, additions, modifications and alterations to residential Dwellings, signs, fences, walls, landscaping, screens, patios and patio covers, awnings, window treatments, air conditioning units and attic fans, and any other modifications to the exterior of a Dwelling or other improvements or alterations to your Lot or the exterior portions of your home.

The Design Review Committee seeks to assure continuity in design, which will help preserve and improve the appearance of the Community.

The Design Review Committee shall be composed of three (3) members. Members of the Design Review Committee receive no compensation for services rendered other than reimbursement by the Association for any expenses that might be incurred in performing their duties. The Design Review Committee has the right to retain architects or other construction specialists as may be necessary to perform its duties.

Prior to the commencement of any addition, alteration or construction work of any type on any residential Lot or Dwelling in Fairway at Redhawk Association, an owner must first make application to the Design Review Committee for approval of such work. Failure to obtain approval from the Design Review Committee prior to beginning work constitutes a violation of the Declaration of Restrictions and **may require modification or removal of unauthorized work or improvements at owner's expense.** In addition, a building permit or other permit may be required by the City of Temecula, or other governmental agencies prior to the commencement of any work. Neither the Design Review Committee, nor the Association assumes any responsibility for failure to obtain such permits. Also, obtaining such permits does not waive the Owner's obligation to obtain written Association approval.

Each residence, as a result of its location, enjoys a particular view; however, that view is not guaranteed nor protected. Future development of other property, construction of public facilities, and/or growth of trees or other vegetation may change, obstruct, impair or otherwise affect the view from a residence at any time. The governing instruments of the Fairway at Redhawk Association do not contain any provisions intended to protect the current view from any residences or guarantee that such views will not be impaired or obstructed in the future by changes to other property.

These revised Guidelines shall have an effective date of January 10, 2022 supersede all prior versions and have retroactive application.

II. GUIDELINES

A. Submission Procedure and Requirements

1. All requests (“Requests”) for Design Review Committee approval are to be made on the standard Fairway at Redhawk Home Improvement Form (Exhibit A).
2. Submission of Requests. All Requests are to be submitted to the Fairway at Redhawk Design Review Committee, c/o Avalon Management, 43529 Ridge Park Drive, Temecula, California 92590, or through our online portal. To submit an application for your proposed home improvement project, log into your account by going to <https://www.fairwaycommunity.com/my-account.html> and clicking the “Log on” icon. After logging into your account, click “My Items,” then “Submit a Request,” and then “ARC Request.” On the ARC request page, complete the PDF application and then you are all set to submit the form for review. After submitting the application, expect a response about application completeness via email within two to four business days.
3. Construction Drawings. Plans and specifications for the work of improvement must be prepared in accordance with the applicable building codes, and with sufficient clarity and completeness to enable the Design Review Committee to make an informed decision on your request.
4. Submission of Application or Improvements. Please forward three (3) sets of your proposed plans and specifications, together with the standard Fairway at Redhawk Home Improvement Form (Exhibit A) and the Impacted Neighbor Statement (Exhibit B) along with the following information to the Design Review Committee to constitute a complete Application. Please mail this information to the address noted above in item #2. One (1) set will be returned to you after completion of the review upon request. The following information constitutes a complete application package.
 - a) Plot plan drawn to scale showing the following:
 - i) All proposed improvements and relevant elevations, including existing or planned “slopes” together with the desired location of such improvements to dwelling and property lines.
 - ii) Complete dimensions of the proposed improvements.
 - iii) Streets, with the names that are contiguous to the property.
 - b) Description of materials to be used, including the proposed color scheme and pattern. Material samples should be provided; color samples must be provided.
 - c) Grading plans (if applicable) must establish where the drainage pattern might be altered by the proposed improvements. Note: All grades and drains must comply with CC&Rs Section 2.11.
 - d) Floor plans (if applicable) showing overall dimensions and area of improvements reflecting your preliminary design concept.
 - e) Description of proposed construction schedule.
 - f) Landscape plan and working drawings (if applicable).

- g) If proposed improvements require access over the Common or Community Areas or Community Facilities for purposes of transporting labor or materials, prior written permission shall be required from the Association. Any such requests must be filed with the Board of Directors prior to the commencement of your improvements.
- h) Any other information or documentation deemed to be necessary by the Design Review Committee in evaluating your request.

B. Failure to Comply with Required Procedures

An owner's failure to comply with the requirements and procedures set forth herein and in the CC&R's shall automatically cause the owner to toll the time period in which the Board of Directors and Design Review Committee have to act pending submission of further information and documentation to the Design Review Committee.

C. Notification of Committee Decision

The Committee will have 45 days to provide a written decision concerning the application from the latter of (a) the date it receives all documentation/information initially or (b) the date it receives all additional information/documentation requested, provided that the request for this additional information/documentation is made before the initial deadline has expired. In the event the Committee fails to approve or disapprove the application with this time frame, the Owner requesting approval may submit written notice to the Committee and/or the Board of Directors advising of the failure to act. If the Committee fails to approve or disapprove of the plans with 15 days after receipt of the second notice, the Owner may submit its plans directly to the Board of Directors.

D. Construction Time Limits

Construction must be completed within the number of days indicated on the approval. Requests for extensions may be submitted to the Design Review Committee and will be considered on a case-by-case basis.

E. Appeal

If Plans submitted by an Owner are disapproved by the Design Review Committee, the party or parties making such submission may appeal in writing to the Board of Directors. The written request must be received by the Board of Directors not more than thirty (30) days following the final decision of the Design Review Committee. Within forty-five (45) days following receipt of the request for appeal, the Board of Directors shall render its written decision. The failure of the Board of Directors to render a decision within said forty-five (45) day period shall be deemed a decision in favor of the appellant.

F. Enforcement

Failure to obtain the necessary written approval from the Design Review Committee, or failure to complete the improvements in conformity with the plans, time limits and specifications approved by the Design Review Committee, constitutes a violation of the

Declaration of Restrictions and may require modifications, removal of any work of improvement, at your expense, and/or monetary fines and legal costs. Pursuant to the provisions of the Declaration, the Board of Directors shall have the right to record against your home a Notice of Non-compliance which shall identify the reason(s) for such notice. If necessary, the City of Temecula will be contacted to assist in enforcement of this policy.

G. Violations

All Owners in Fairway at Redhawk Association shall have the right and responsibility to bring to the attention of the Board of Directors or Design Review Committee, any violations of the Standards set forth herein.

H. Notice of Completion

Upon completion of the work of improvement, the owner shall submit a written notice of completion (Exhibit D) to the Design Review Committee.

I. Preemption

These Design Guidelines and the Community Declaration shall preempt and supersede any inconsistent provision of any rules or restrictions of any Neighborhood Declaration or Neighborhood Rules which are in conflict with the provisions of these Design Guidelines or the Community Declaration. If the restrictions of any Neighborhood Declaration or Neighborhood Rules are more restrictive than these Design Guidelines or the Community Declaration, there shall be no preemption unless the Board of Directors determines in its sole discretion that preemption is warranted under Article VII of the Declaration.

III. ARCHITECTURAL STANDARDS

A. Structural or Material Additions or Alterations.

Exteriors of any building shall conform to the material, colors, character and detailing as established on existing Lots and Dwellings within the respective Tract.

1. Structures in this section shall conform to the original structural character of the existing Dwelling.
2. No second-hand materials shall be used in the construction of any building or other structure without the prior written consent of the Design Review Committee.
3. Patio trellises, sun shades, arbors or gazebos, and all type of structures shall require approval by the Design Review Committee.
4. Structures under this section shall have either flat or shed roofs, or a form consistent with the existing roof line.
5. Structures under this section will be stained or painted to match or be complimentary with colors used on the original Dwelling.

6. In designing any addition, intrusion upon a neighbor's privacy, or the passage of light or air to a contiguous Lot or Dwelling, should be kept to a minimum. Aesthetic appearance as well as impact on a contiguous Lot(s) or dwelling(s) will be given consideration.
7. Hardscape, decorative lighting and landscaping are allowed on rear yard slopes, within the owner's lot. No (structural) improvements shall be allowed. (Structural) under this section shall include, but not be limited to, extended decks, patio covers, gazebo's or any other covered structure. All slope improvements on the owner's lot will be reviewed by the Design Review Committee on a case by case basis.

B. Landscaping and Other Related Improvement

1. Each Owner shall install (unless landscaping is installed by the Merchant Builder) and thereafter maintain landscape in a clean, safe and attractive condition according to any rules promulgated by the Board of Directors. All portions of a Lot which are not within an enclosed fence or otherwise visible from any other Lot which are improved with a Dwelling or Structure, shall be landscaped by the Owner thereafter in accordance with the Community Association Rules promulgated by the Board of Directors on or before a date which is ninety (90) days from the original conveyance of such Lot by a Merchant Builder.
2. Removal of trees from an Owner's lot with a diameter smaller than 6 inches does not require approval from the Committee. However, the planting of trees must be approved by the Committee prior to installation. When an owner removes a tree, the stump shall be removed also.
3. The installation of artificial turf, decorative rocks, boulders and other drought tolerant landscaping is welcomed subject to compliance with the governing documents and will be evaluated by the Committee on an individual basis for its aesthetic acceptability. Small rocks or pebbles cannot be used to cover large areas.
4. Water features and fountains require approval from the Committee prior to installation. The application must include a picture or brochure of the proposed improvement, as well as a drawing that shows the location of the improvement.

C. Terrace Drains

If any drainage culverts or terrace drains are situated on an Owner's Lot, such Owner shall clean and maintain such terrace drains or drainage culverts so as to ensure that no debris obstructs the flow of water on the Owner's Lot or any other Lot through which the drainage culvert runs.

D. Drainage and Fill

There shall be no interference with the established drainage patterns over any Lot, Common Area or Community Facilities, unless an adequate alternative provision is made for proper drainage and is first approved in writing by the Design Review Committee.

E. Gutters and Downspouts

No gutters, downspouts or scuppers to control water shed from roofs shall be installed without prior approval of the Design Review Committee. Such improvements shall be primed and painted to match the surface color of its appurtenant dwelling.

F. Unsightly Items

All weeds, rubbish, debris, unsightly materials or objects of any kind shall be regularly removed from the Lots and shall not be allowed to accumulate thereon. All clotheslines, refuse containers, wood piles, air conditioners, water softeners, storage areas, machinery and equipment shall be prohibited upon a Lot unless obscured from view of adjoining streets, lots, alleys, Community Common Area nearest such portion of the Lot from a height of six (6) feet or less and shall comply with any restrictions or standards promulgated by the Board of Directors or the Design Review Committee.

G. Flag Poles

All flag pole installations must be approved in advance in writing by the Design Review Committee.

A permanent flag pole may be installed in the backyard no less than 10 feet set back from the rear property line and no less than 10 feet set back from the side property lines, or from a wall or fence, whichever is nearest to the house. Permanent backyard flag poles may be of metal, aluminum or thick walled PVC material, to be no larger than 6 inches in diameter at the base and no higher than 20 feet above the ground.

A temporary (removable) flag pole may be installed in the front yard, no less than 20 feet set back from the street curb line and no less than 10 feet set back from the side property lines, or from a wall or fence, whichever is nearest to the house. Temporary (removable) front yard flag poles must be of thick walled PVC material, to be no larger than 3 inches in diameter and no higher than 20 feet above the ground.

Flag pole brackets installed on the front or rear of the house may display the American Flag and/or seasonal banners provided they are maintained in good condition, and are not unreasonably offensive in nature.

H. Window Coverings

Only curtains, drapes, shutters or blinds may be installed as window covers. No aluminum foil, paint, newspaper or similar covering deemed to be inappropriate for a window covering by the Board of Directors or Design Review Committee shall be applied to the windows or doors of any dwelling. Window coverings which are visible to the exterior must be maintained in good condition.

I. Awnings

Prior to the installation of awnings, plans for awnings must be submitted to the Design Review Committee for review and approval. Awnings must be of colors that complement the existing house.

J. Satellite Dishes/Antennas

An Owner must place his or her satellite receiver in a location which will minimize the visual effect of the equipment on the Common Areas and other residents. There will be no exposed cables or wires. Cables and wires, or conduits will match existing color of the exterior.

K. Temporary Structures

No trailer, mobile home, tent, shack, or other outbuilding shall be kept upon any Lot, the Community Common Area or Neighborhood Common Area or in any street within the Fairway at Redhawk Community, except with prior written approval from the Board of Directors and in connection with work or construction diligently pursued.

L. Skylights and Other Solar Energy Equipment

The installation of rooftop structures or a system to accommodate solar energy equipment or skylights must be reviewed and approved by the Design Review Committee before installation. Solar energy equipment is encouraged but should be designed to integrate with the structure and minimize the visual effect of the equipment on the Common Areas and other residents. Conduit must be painted to match the surface on which they are installed.

No tilt up installs. Solar panels shall blend into existing roof slope. Solar panel framing must be black. Electrical conduit and associated electrical junction boxes must be painted to match the surface on which they are mounted (i.e. the roof, or the side wall of the house).

All systems must be operable. Should the system become inoperable for any reason, the entire roof system must be removed within sixty (60) days from the date the system becomes inoperable. Owners are responsible for the maintenance, repair, and replacement of any solar energy systems, and installers of solar energy systems must indemnify or reimburse the Association and/or its members for loss or damage caused by the installation, maintenance, or use of said systems. Only commercially produced systems are permitted and must be installed per manufacturer's specification. Installations of solar panels are required to comply with state and local requirements.

M. Landscape Maintenance Standards

- Slopes and/or planters shall be planted with live plants and bare areas shall not be greater than a 3' x 3' area upon plant maturity. This pertains to any non-turf areas with hardscape coverings such as rocks, stones, mulch, and areas with drought tolerant landscaping.
- Slopes and/or planters (areas other than lawns) shall be kept free of weeds and grasses.
- Lawns shall be regularly watered and fertilized to maintain a green appearance.
- Lawns shall be kept free of weeds, clover, dandelions, and broadleaves. All bare spots in the lawn shall be re-seeded.
- If an extended absence is expected (vacation, business trip, etc.) or if the property will be vacated for any reason, it is the owner's responsibility to see that the property continues to be maintained.
- All major landscape modification plans, and tree removals with a trunk diameter greater than 6 inches require prior DRC approval with the exception of tree failure or major structural

damage requiring emergency removal. When a homeowner removes a tree, the stump must be removed also, and the lawn area (if applicable) patched with sod or reseeded.

- Unaesthetic tree trimming is not permitted. If trees are not properly and attractively trimmed, the association may require correction of the problems at the homeowner's expense including possible removal and replacement. Members are encouraged to use the services of a qualified arborist for tree trimming work in order to protect their trees and keep them healthy and attractive.
- No plants, trees or seeds infected with insects or plant disease shall be brought upon, grown or maintained upon any lot.
- All trees, hedges and other plant material shall be trimmed and well maintained by the lot owner or resident. The Association will perform site inspections to determine whether owners are properly maintaining their lots and such inspections and photographs from such inspections may be used in the event of a dispute as to whether a lot or improvements thereon are well maintained, and the Board of Directors may make a determination at a duly noticed hearing.
- Trees, hedges and shrubs that restrict sight lines for vehicular traffic shall be trimmed back or removed.
- Drought tolerant plant material and landscaping is permitted provided your plans and application is approved by the DRC.
- Artificial plants are prohibited.

N. Height of Trees, Hedges and Other Plant Material

All trees, hedges and other plant material shall be trimmed by the owner of the Lot upon which same are located so that the same shall appear well maintained. In the event of a dispute as to whether an item is considered well maintained, the final determination of the level of maintenance required will be rendered as a result of a site inspection by the Board of Directors, and/or its appointed agent. Before a homeowner plants any trees, hedges or other plant material that may exceed the height of the closest fence, the proposed location of such items shall be approved in writing by the Design Review Committee. For all builder planted slopes; the homeowner is to review with the builder, prior to the close of escrow on their home, and approve the landscaping to be provided by the builder on their property and/or slopes adjacent to their property and the acceptability of same. Any discrepancy is to be handled between the builder and the homeowner.

O. Drought Tolerant Landscape and Hardscape Guidelines

- Desert-type landscapes consisting of cactus or similar true desert plants or any designs consisting of large expanses of rock, decomposed granite or mulch with minimal number of plants are not permitted.
- All plants, trees, ground cover, hardscape, etc must be chosen based on an approved plant pallet.

1. Landscape Plan

A plan, including drawings of the proposed landscape design is required. It should show enough detail so the Design Review Committee can clearly decide if the criteria and requirements are met. An effective plan is:

- **Prepared to scale**
- **Writing is clear and legible.**


- **Lists the names and show locations of all plants in the landscape**
- **Specifies the material that will be used to cover bare soil after planting to prevent weed infestation until the new landscape is established.**
- **Has a drawing that identifies plant name and planting location (see examples of drawings below.)**

A lot of careful observation and thoughtful planning go into creating a landscape that will be a functional and pleasing part of your home. Make sure you provide the Fairway Community Drought Tolerant Landscape Guidelines whenever you hire someone to perform landscaping projects on your property.

Ideas for developing a Landscape plan can come from several sources such as:

- A Professional Service (Architect, Designer or Engineer)
- A Professional Landscaper
- A Contractor
- Computer Landscaping software
- Do It Yourself (see examples of landscape drawing below)

Sample Sketch #1 –Completed drawing




*This plan provides details of **plant names** and shows **locations**. Please include lot **dimensions!***

Approved landscape drawing

2. Site Design

- Plants must be arranged, planted in sufficient number and density, and specifies the minimum sizes to assure the landscape has 60% coverage when plants are mature.
- Shrubs are normally planted in groupings with plants spaced according to plant specifications and/or recommendations.
- Groundcover plantings normally require plants to be spaced according to plant specifications and/or recommendations.
- Use of large boulders may be approved if the Design Review Committee determines their presence suits the intended design and their placement and approximate sizes of boulders must be noted on the landscape drawing. Boulder shall be naturally weathered or a color that is consistent with the aesthetics of the community. Ensure that the rock must have the appearance of being buried in the ground and does not have the appearance of simply being laid on top of the ground. Please provide a representative picture of the proposed boulder.
- There shall be no large or a continuous area of bare soil in the landscape after the initial planting or after the landscape is established.
- Areas of bare soil must be covered with a 2 to 4 inch layer of mulch or other approved soil covering (see Mulches and Soil Coverings Sections below) at the time of planting.
- No hedges or similar continuous plant screens over 18 inches in height are permitted along front property lines. Plants can't be installed in such a way as formed into a hedge along the property lines.
- There shall be a 1-ft minimum setback from adjacent property lines in the front of the house for shrubs and similar plants and a 4-ft setback for trees.
- The design must provide plant-based remedies for erosion of soil, mulch, or other landscape debris onto public sidewalks and driveway caused by rainfall, wind, irrigation, or foot traffic. This normally will require a continuous low-growing (12-inch or less height) plant material cover immediately adjacent to these paved areas.
- Raised cement curbing may be used 1" above mulch, must not be made of wood.



- Adding pavement, such as by widening driveways, so that it creates solid paving across adjacent property lines is not permitted. **Driveway extensions may not exceed two feet in width on each side of the driveway.**
- A functioning irrigation system tailored to the planting scheme and site design is required. The irrigation system must be hooked up to an automatic timer; a drip irrigation system is preferred.

3. Site Preparation

The planting process should begin with a weed free site. The original site slope and grading should remain intact. If either is altered, the owner must specify the measures that will be taken to assure runoff does not affect neighboring properties, i.e., retaining walls.

Plant recommendations may be selected from the following:

- Per approved plant pallet, the plants should be in five (5) gallon size or larger, of a perennial nature.
- Groundcover and similar plants may be I-gallon containers or from flats. Flats must be planted 6 inches on center and 1 gallon, 18 inches on center.
- Groundcover plants from flats are recommended to be planted 6 inches on center (oc) apart; those from containers may be spaced according to plant specifications and/or recommendations.
- Artificial plants are prohibited from being installed in front yard landscaping.

4. Artificial Turf

The installation of artificial turf (see parameters below), decorative rocks, boulders and other drought tolerant landscaping will be considered subject to compliance with the governing documents and will be evaluated by the Committee on an individual basis for its aesthetic acceptability. Small rocks or pebbles cannot be used to cover large areas. Artificial turf may be approved provided that the property owner meets the following parameters:

- Submits a product sample of artificial turf to be used, and other product information requested by the AC. Sample must be a minimum size of 6" x 6".
- Turf must be green, multi-colored and include thatch.
- Pile height must be a minimum 1 ½".
- Face weight must be a minimum of 60 ounces per square yard.
- Turf must have polyurethane backing. Latex backing is not permitted.
- Turf must allow ring around trees and a hardscape border of at least 4" in width between property lines.
- Used turf is not allowed.
- Turf must be laid with grain so appears to be one even mat and must be installed per manufacturer's specifications so that there are no bumps or ripples. Turf must be permeable in nature.
- Professional installation is recommended.
- Maintains it by keeping it clean and free of dirt and debris; this may require occasional rinsing with water and removing fallen leaf dander. Pet waste must be immediately removed.
- Agrees to replace it when the Association determines its appearance no longer meets community standards due to the lack of appropriate or normal maintenance or normal deterioration. (Note that most artificial turf products currently sold may have an anticipated life expectancy of 10 years.)
- Substrate must be graded so that the artificial turf has pleasing organic contours (i.e. not completely flat), and so that the pile sticks up at least 1 inch above sidewalks and driveways where the turf edge meets them, to give the turf a more natural appearance.
- Homeowners may be required to plant at least one tree in turf installations that exceed 100 square feet, to give the turf a more natural appearance. This will be determined by the Design Review Committee on a case-by-case basis.
- Individual patches of artificial turf may not exceed more than 200 square feet. While multiple patches are allowed, they must be broken up by other

landscape features such as a walkway, a rock garden feature, or planting beds. This is to create a more natural appearance which cannot be achieved when 'carpeting' your front yard with large scale installations of artificial turf only.

5. Mulches & Soil Coverings

A sample of the soil covering material that will be applied to cover bare soil areas must be submitted with the application and must be approved before use other than approved, sample must be provided.

- The material used shall be brown earth tone in color and 2 to 4 inches deep. ("**Natural and unpainted**")
- Shredded bark, bark nuggets, or similar coarse forest products (**Must provide samples**)
- Coarse or rounded pebble at least 1/2 inch in diameter in size (**Must provide samples**)
- River rock/pebbles less than 1/2 inch in accent areas only
- River rock/pebbles at least 1/2 inch in diameter in size (**Must provide samples**)
- Lava Rock (**Must provide samples**)
- Synthetic mulch must be brown earth tone in color. (**Must provide samples**)

The following and similar materials are NOT permitted:

- **Road based gravel**
- **Artificially colored rock or granite**
- **Ground stones**
- **Uncovered weed control or landscape fabric**
- **Artificial color wood chips, (No Red)**
- **White Rock**
- **Orange or Red Lava Rocks**

A weed control fabric is required under mulches when the area is intended to be a permanently mulched open space within landscape. Weed control fabric is not required in the portions of the landscape where mulch is used as a temporary soil cover until the plant material grows over it.

6. Completion Notice & Inspection

Upon completion of the project, the applicant **must** submit a completion notice with photographs documenting that the project followed the **approved** plan.

*As stated, homeowners are **required** to submit a complete application and receive written approval prior to beginning any modifications.*

P. Screen Doors

Any homeowner interested in installing a screen door onto the front door of their home must submit a written application to the Association prior to this work being started. The submittal should include a completed Homeowner Improvement (Exhibit A) form with plans, pictures, manufacturer brochures, samples of color or any other information that could assist the Design Review Committee in determining if the proposed screen door installation is consistent with existing architectural style and colors.

Q. Swimming Pools/Spas

The Design Review Committee must approve all swimming pools and spas. Sound dampening enclosures are required on all spa/pool equipment which have decibel readings in excess of 70 decibels at a distance of 3 feet.

R. Wall/Fence Painting and Construction Policy

1. Approval Required

Design Review Committee approval is required for the staining, painting or weatherproofing of homeowner's wood fences or stucco walls with the exception of front and side yard wood fencing visible from the street which must be painted Sherwin Williams color SW2808 Rookwood Dark Brown.

2. No Construction on Association Property

Owners shall not be permitted to construct any fences or walls upon any portion of a slope being maintained by the Association, or upon Association property.

3. Wall/Fence Repair, Maintenance and Installation

The Perimeter Walls/Fences shall not be removed, re-located, reconstructed or modified as to structure, finish or color without the prior written consent of the Design Review Committee. Each Owner shall repair or reconstruct that portion of any damaged or destroyed Perimeter Wall/Fence that is contiguous to his residence to a condition approved by the Design Review Committee. If you move a gate or fence or install new fencing you need Design Review Committee approval.

4. **Vinyl/Composite Fencing Specifications** Vinyl or Composite fencing will only be considered by the Design Review Committee if it is manufactured in a dark brown color that closely matches Rookwood Dark Brown, which is a Sherwin Williams paint color required for all wood fences. An example of a color that has been approved previously includes **National Vinyl Product's Dark Walnut** (this is merely an example provided as a courtesy and subject to changes in the market of vinyl and composite fencing manufacturers). Physical samples of the product you wish to use must be provided with your application, unless you're applying to use National Vinyl Product's Dark Walnut. White, off-white, or tan vinyl or composite fencing are prohibited and will not be approved by the Design Review Committee.

5. Wood Fence Color Requirement

The Association requires that all current and future wood fencing in Fairway at Redhawk shall be Sherwin Williams color SW2808 Rookwood Dark Brown. Prior Architectural approval is not required if you are going to repaint wood fencing with Sherwin Williams color SW2808 Rookwood Dark Brown.

6. Masonry Wall/Fences

- a) Rough Stucco Finish walls in the Redhawk and Fairway at Redhawk style must be painted Pearly White.
- b) Masonry walls consisting of concrete block must be finished with stucco in a smooth finish. The color of the stucco must match the "Main body stucco color" of the home in question. The top of the masonry wall must be finished with a stucco "cap" or stone cap and must not exceed six (6) feet in height.

- c) Slump Stone, Brick, or Stone wall/fences will be considered for approval by the DRC on a case-by-case basis.
 - d) Front yard decorative masonry walls consisting of concrete block must be finished with stucco in a smooth finish. The color of the stucco must match the “Main body stucco color” of the home in question. The top of the masonry wall must be finished with a stucco “cap” or stone cap and must not exceed three (3) feet in height.
7. Wrought Iron/ Metal Fences
- a) All wrought iron/metal fences must be painted Tricorn Black
8. Perimeter Walls and Fences
- Any perimeter walls or fencing situated on an Owner’s Lot shall be repaired and maintained in good condition by the Owner of the Lot. Additionally, the Owner is responsible for the replacement of decorative view fencing, and must first obtain approval from the Committee before replacing.
9. Gates
- Double gates are not permitted.

S. Exterior Painting

Exterior Painting All exterior painting of a home will require DRC approval. All exterior color requests should utilize the approved Sherwin Williams color palettes. A Paint Diagram (Exhibit C) must be submitted with applications for exterior paint. If your property has decorative iron on the exterior, you may select Tricorn Black.

When repainting your home, you must adhere to the **2-2 Rule**. This rule requires that your home’s main body color not match the main body color of the **two homes to your left and the two homes to your right**. If your home is on a single stack street (homes on only one side of the street, with a landscaped slope on the other side of the street), you only need to consider the two homes to your left, and the two homes to your right.

If your home is on a street corner or in a cul-de-sac, or if you have any doubt, you may want to consult with the Design Review Committee to ensure that you are complying with the **2-2 Rule**. The **2-2 Rule** is in place to ensure diversity in the color of homes in the community, and to avoid the repetition of the same main body color in clusters which would dilute the unique character of the community.

In the past, it has proven challenging and contentious to match colors due to time and the elements aging paint to the extent that it renders the process of color matching a risk. And that often does not yield the desired result, which can compromise the harmony of our community’s aesthetic.

Prior to commencing any painting please contact Avalon Management (951-699-2918) or visit your community website www.fariwaycommunity.com for a list of approved colors for your neighborhood. You may review the color schemes online via the website, at Avalon’s Temecula office or any local Sherwin Williams store.

NOTE: You may obtain your paint from any supplier, vendor or store. The color manufactures are provided as a reference for your vendor to obtain the correct color formula.

T. Miscellaneous

1. Grass only installed in the rear yard does not require plan approval.
2. Holiday lights and decorations are permitted without approval from Thanksgiving through January 31.
3. Installation of garage doors and changes to existing garage doors such as changes in color require prior approval from the Design Review Committee.
4. The use of wire mesh or chicken wire, which exceeds 3 feet in height measured from the ground level is prohibited.
5. Tarps or fabric type materials over fencing to provide screening is not permitted. Homeowners are to provide other screening such as solid wood fencing or plant material which is to be approved by the Design Review Committee prior to installation.
6. Patio umbrellas, sunshades, playhouses/structures and other temporary items not otherwise identified in the governing documents do not require approval provided they are maintained in good condition, and are not unreasonably offensive in nature, and are not visible from above the fence line from the common areas or neighboring lots of similar grade. If these items are taller than neighboring fence lines, the DRC may require that they be positioned away from the fence line so as not to spoil your neighbors' views, as well as to respect your neighbors' right to enjoy the privacy of their own backyards.
7. Sheds and other similar structures may not be visible from the street. Prior approval from the Design Review Committee is required for sheds and other similar structures.
8. The installation of any exterior lighting requires prior approval from the Design Review Committee. All exterior lighting whether wall, post, or ground (landscape) mounted must have a color rendition of 3000K (Kelvin) or below in accordance with the Riverside County Ordinance No. 655, and wiring must be installed discreetly and in conduit. Lighting fixtures must be installed so as to project downward and not directed at neighboring properties.

IV. GENERAL CONDITIONS

- A. Fairway at Redhawk Association Design Review approval does not constitute waiver of any requirements required by applicable governmental agencies, or by applicable Fairway at Redhawk Neighborhood Associations. Architectural approval of plans does not constitute acceptance of any technical or engineering specifications, and Fairway at Redhawk Association assumes no responsibility for such. The function of the Design Review Committee is to review submittals as to aesthetics. All technical and engineering matters are the responsibility of the Lot owner.
- B. An oversight of a Covenant, Condition or Restriction, these Guidelines, or a Committee policy does not constitute waiver of that rule and therefore, must be corrected upon notice.

- C. City of Temecula ordinances require homeowners to maintain correct grades of lots so that water drainage does not flow into adjoining properties or does not prevent off flow from same.
- D. Access for equipment used in construction must be through your property only. Access over Community Property will not be permitted without prior written approval from the Design Review Committee.
- E. Streets may not be obstructed with objects and building materials that are hazardous to pedestrians, vehicles, etc. Items such as, but not limited to, dumpsters, sand and building materials may not be stored on streets, sidewalks or Community Property. Owners are responsible for the cleanliness of the surrounding streets during and after any construction.
- F. Building permits may be required for certain improvements from the City of Temecula.
- G. Any damage to Fairway at Redhawk Association Property arising out of or relating to construction of homeowner improvements shall be replaced or repaired by a contractor. All applicable charges for restoration will be charged back to the homeowner by Fairway at Redhawk Association and are due and payable within 30 days from notification or assessment of penalties.
- H. Approval of plans is not authorization to proceed with improvements on any property other than the Lot owned by the applicant.
- I. Approved plans are not to be considered authorization to change the drainage plan as installed by the developer and approved by the County of Riverside or City of Temecula.

NOTICE OF COMPLETION

Upon completion of any work for which approval has been given, the Owner shall submit written notice of completion (Exhibit D) to the Design Review Committee. Within sixty (60) days thereafter, a representative of the Committee or designated agent may inspect such improvement. If such work was not done in substantial compliance with the approved plans, the owner will be notified in writing of such noncompliance within this sixty (60) day period and require the Owner to correct the matter within the time limit in the notice, not to exceed 30 days.

If the owner has failed to remedy the noncompliance, the Design Review Committee shall notify the Board of Directors of the Association of such failure. After affording such owner notice and hearing, the Board of Directors shall determine whether there is a noncompliance of the CC&Rs and, if so, the nature thereof and the estimated cost of correcting or removing the same. If a noncompliance exists, the owner shall remedy or remove the same within a period of time determined by the Board of Directors. If the owner does not comply with the Board of Directors ruling within such period, the Board of Directors may levy an Enforcement Assessment against the Owner and/or may record a Notice of Noncompliance and/or commence a lawsuit for damages, injunctive relief, and/or declaratory relief.

VARIANCE

The Board of Directors may authorize variances from compliance with any architectural provisions contained in these Guidelines, including, without limitation, restrictions upon height, size, or placement of structures, or similar restrictions when circumstances such as topography, natural obstructions, hardship, aesthetic or environmental considerations may require such variances. The granting of a variance must be evidenced in writing and must be approved by a majority of the Board of Directors.



Fairway at Redhawk Association

Architectural Submission Procedure and Requirements

1. All requests (“Requests”) for Design Review Committee approval are to be made on the standard Fairway at Redhawk Home Improvement Form (Exhibit A).
2. **Submission of Requests.** All Requests are to be submitted through the management online portal or to the Fairway at Redhawk Design Review Committee, c/o Avalon Management, 43529 Ridge Park Drive, Temecula, California 92590. To submit an application for your proposed home improvement project, log into your account by going to <https://www.fairwaycommunity.com/my-account.html> and clicking the “Log on” icon. After logging into your account, click “My Items,” then “Submit a Request,” and then “ARC Request.” On the ARC request page, complete the PDF application and then you are all set to submit the form for review. After submitting the application, expect a response about application completeness via email within two to four business days.
3. **Construction Drawings.** Plans and specifications for works of improvement must be prepared in accordance with the applicable building codes, and with sufficient clarity and completeness to enable the Design Review Committee to make an informed decision on your request.
4. **Submission of Application or Improvements.** Please forward three (3) sets of your proposed plans and specifications, together with the standard Fairway at Redhawk Home Improvement Form (Exhibit A) and the Impacted Neighbor Statement (Exhibit B) along with the following information to the Design Review Committee to constitute a complete Application. Please mail this information to the address noted above in item #2. One (1) set will be returned to you after completion of the review upon request. The following information constitutes a complete application package.
 - a. Plot plan drawn to scale showing the following:
 - i) All proposed improvements and relevant elevations, including existing or planned “slopes” together with the desired location of such improvements to dwelling and property lines.
 - ii) Complete dimensions of the proposed improvements.
 - iii) Streets, with the names that are contiguous to the property.
 - b. Description of materials to be used, including the proposed color scheme and pattern. Material samples should be provided; color samples must be provided.
 - c. Grading plans (if applicable) must establish where the drainage pattern might be altered by the proposed improvements. Note: All grades and drains must comply with CC&Rs Section 2.11.
 - d. Floor plans (if applicable) showing overall dimensions and area of improvements reflecting your preliminary design concept.
 - e. Description of proposed construction schedule.
 - f. Landscape plan and working drawings (if applicable).
 - g. If proposed improvements require access over the Common or Community Areas or Community Facilities for purposes of transporting labor or materials, prior written permission shall be required from the Association. Any such requests must be filed with the Board of Directors prior to the commencement of your improvements.
 - h. Any other information or documentation deemed to be necessary by the Design Review Committee in evaluating your request.

Design Review Guidelines Appendix I

TREE INSTALLATION SPECIFICATION SHEET

Purpose:

To ensure that all new tree plantings within the community are installed in a manner that prevents future hardscape damage, promotes healthy root development, and maintains long-term safety and aesthetics of sidewalks, driveways, curbs, and other improvements.

1. General Requirements

- All new tree plantings must comply with this standard. **An application must be submitted** and approved by the Design Review Committee prior to installation.
- Tree selection shall consider mature height, canopy spread, and root growth characteristics suited to the location's climate, soil, and irrigation conditions.
- Trees shall be planted in irrigated areas with properly amended, well-draining soil.
- All trees shall be installed in accordance with current ISA (International Society of Arboriculture) standards.

2. Minimum Setback from Sidewalks and Hardscape

Tree Type	Minimum Setback from Sidewalk/Hardscape	Root Barrier Requirement
Small Trees ($\leq 25'$ mature height)	4 feet (1.2 m)	Recommended
Medium Trees (26–40' mature height)	6 feet (1.8 m)	Required
Large Trees ($>40'$ mature height)**	8–10 feet (2.4–3.0 m)	Required

- **Measurement:** Setback shall be measured from the edge of sidewalk, curb, or other hardscape surface to the tree trunk center at time of planting.
- **Narrow parkways (<4' wide):** Only small tree species from the approved list may be used, and a root barrier is required.

3. Root Barrier Specification

- **Type:** Commercially manufactured high-density polyethylene (HDPE) or equivalent root-deflection barrier (e.g., DeepRoot, BioBarrier, or equal).

- **Depth:** Minimum **18 inches** (preferred range 12–24").
- **Length:** Minimum **6 feet** per tree (three feet on each side of the tree, along the sidewalk face).
- **Orientation:** Ribs or guide fins shall face toward the tree.
- **Placement:**
 - Install barrier vertically along the sidewalk-side of the tree pit.
 - Top edge of barrier shall extend $\frac{1}{2}$ –**1 inch above soil grade** or flush with finished hardscape.
 - Backfill carefully to prevent settling and to maintain barrier alignment.
- **Inspection:** Barrier installation may be verified prior to final backfill.

4. Preferred Tree Species (Non-Invasive Root Systems)

(Recommended for Temecula's Mediterranean climate and non-aggressive roots)

Small Trees (≤25' height):

- *Crape Myrtle (Lagerstroemia indica)*
- *Japanese Tree Lilac (Syringa reticulata)*
- *Amur Maple (Acer ginnala)*
- *Desert Willow (Chilopsis linearis)*
- *Purple-Leaf Plum (Prunus cerasifera)*

Medium Trees (26–40' height):

- *Chinese Pistache (Pistacia chinensis)*
- *Carolina Cherry Laurel (Prunus caroliniana)*
- *American Hornbeam (Carpinus caroliniana)*
- *Serviceberry (Amelanchier spp.)*
- *Chinese Flame Tree (Koelreuteria bipinnata)*

Large Trees (>40' height – use with ≥8 ft setback and root barrier):

- *California Sycamore (Platanus racemosa, in large open areas only)*
- *Coast Live Oak (Quercus agrifolia, native species, use only with large setbacks)*

- *Evergreen Ash (Fraxinus udhei*, use with deep root barrier)

Note: Avoid species known for aggressive, shallow roots (e.g., *Ficus spp.*, *Populus spp.*, *Salix spp.*, *Eucalyptus spp.*, *Liquidambar styraciflua*, *Acer rubrum*).

5. Irrigation & Maintenance

- Provide deep watering via bubblers or drip emitters (no overhead spray directly on trunk).
- Maintain mulch ring at least 24" diameter around trunk (no mulch contact with bark).
- Regularly inspect for root flare visibility; adjust soil/mulch to prevent girdling roots.
- Replenish mulch and inspect root barrier exposure annually.
- Prune per ANSI A300 standards during dormancy or early spring.

7. Approval & Documentation

All proposed tree installations adjacent to sidewalks or curbs must include the following documentation:

1. Site plan or diagram showing proposed tree location and measured setback.
2. Proposed species and container size. Must include a photo of proposed species at or near maturity.
3. Root barrier product specification.
4. Irrigation plan details (if applicable).
5. Installer certification or acknowledgment of ISA/ANSI planting standards.

EXHIBIT A (Page 1 of 2)
HOME IMPROVEMENT FORM

Send to: Fairway at Redhawk Association
43529 Ridge Park Drive
Temecula, CA 92590
PH: 951-699-2918 FX: 951-699-0522
Tarc2@AvalonWeb.com

Do not start work until approval is confirmed in writing.

Owner Information:

Name _____

Home Phone _____

Work Phone _____

Site Address _____

Has work already been started? _____

PROJECTS BEING SUBMITTED: (Please check all appropriate items)

- | | |
|--|---|
| <input type="checkbox"/> Air Conditioner (Relocation) | <input type="checkbox"/> Shed or Green House |
| <input type="checkbox"/> Awnings | <input type="checkbox"/> Solar Panels |
| <input type="checkbox"/> Slabs/patio/walkways | <input type="checkbox"/> Trees |
| <input type="checkbox"/> Driveway Extension <i>(not to exceed 2' on either side of dw)</i> | <input type="checkbox"/> Landscaping |
| <input type="checkbox"/> Wood Deck | <input type="checkbox"/> Side ___ Front ___ Back ___ |
| <input type="checkbox"/> Drains (if altering existing grade) | <input type="checkbox"/> Patio Cover |
| <input type="checkbox"/> Gutters | <input type="checkbox"/> Exterior Painting ** |
| <input type="checkbox"/> Fence(s) or | <input type="checkbox"/> Play Set or Playhouse |
| <input type="checkbox"/> Walls (Retaining, Sitting, Etc) | <input type="checkbox"/> Spa and Equipment * |
| <input type="checkbox"/> ___ Front ___ Side ___ Rear | <input type="checkbox"/> Pool and Equipment* |
| <input type="checkbox"/> BBQ, Fire Pit, Fireplace | <input type="checkbox"/> Water Features (Fountain, Waterfall, Pond) |
| <input type="checkbox"/> Other: _____ | |

* All pool and spa equipment must have a sound barrier if the noise level exceeds 60 decibels at a distance of 3 feet from equipment.

** Please refer to the Association's color schemes: <https://www.sherwin-williams.com/homeowners/color/find-and-explore-colors/hoa/temecula/ca/the-fairways/> An application is required for ANY painting project.

PLEASE FILL IN DETAILS BELOW IF NOT SHOWN ON PLANS:

Are existing improvements shown on plans? _____

Names of plants _____

Type of materials used _____

Type of wood surfaces _____

Color scheme _____

Impacted Neighbor Statement attached? _____ Three copies of plans attached? _____

NOTE: Plans that are approved are not to be considered authorization to change the drainage plan as installed by the developer and approved by the County of Riverside or City of Temecula. The review is intended to consider aesthetic appearance of the drains, pipes and coring and other applicable aspects of drainage. Owner may also need to acquire approval from the City of Temecula for permission to encroach within the City's easement.

The applicant has been provided with copies of all the Fairway at Redhawk 's CC&Rs, Rules, Guidelines and agrees to be bound by and comply to the same.

If this application is for work that has already been started or completed, the Owner hereby forever agrees to indemnify, defend, and hold harmless the Fairway at Redhawk Association, it's Committees and managing agent for any and all claims, without limitation against any and all claims or challenges regarding such work.

Signature of Owner/Applicant _____ Date: _____

DO NOT WRITE BELOW THIS LINE

- ___ Sound baffle to be constructed around entire pool/spa equipment.
- ___ Do not pour concrete against existing fences.
- ___ Do not backfill against existing fences.
- ___ Core drill through curbs for drainage.
- ___ Submit originally reviewed plans with revised drawings.
- ___ Maintain existing drainage pattern or provide alternative drainage method.
- ___ _____ must be painted to match existing stucco or trim.
- ___ Solid patio covers must match style and/or color of existing roof of house.
- ___ Resubmit patio cover with additional dimensions and elevation.
- ___ All lighting must be low wattage or low voltage.
- ___ Add root barriers to all fence line trees.
- ___ BBQ, Fire Pit or Fireplaces must be gas. No wood burning permitted.
- ___ Front yard must be maintained during work and/or must be landscaped immediately following completion of all work.
- ___ Recommend Concrete installed in front yard match existing color of driveway.
- ___ Driveway extensions may not exceed 2 feet on either side.
- ___ Block walls placed in front yard must be one color and must match color of STUCCO / EXISTING WALLS
- ___ Walls in front yard may not exceed 3 feet in height.

THE DESIGN REVIEW COMMITTEE HAS DETERMINED THAT THE ABOVE SUBMITTED IS:

___ Approved as submitted.

___ Approved with the following conditions:

Work must be completed within _____ Days

___ Disapproved as submitted.

Additional Comments: _____

DESIGN REVIEW COMMITTEE

DATED: _____

INITIALS: _____, _____, _____, _____, _____, _____,

Exterior Home Improvements - digital submissions

Avalon Management provides the opportunity to submit applications digitally. Please review the following steps to submit your Architectural (ARC) Request below.

Avalon Portal submission:

1. Avalon – Online Portal. Please visit <https://www.fairwaycommunity.com> to create/log on to your account through “My Account”.
2. Once logged into the account you will select “Submit a New Request” located on the bottom of the page. Then select ARC Request.
3. Please make sure you upload the Architectural Home Improvement application and supporting documents before submitting.
4. After submission of the ARC Request you will be able to view your submission, receive updates on the application, leave messages, upload more documents, etc.
5. Please note a common error for all submissions, is file size. The system will not allow submission if the file size exceeds 25MB. If there are any difficulties, you may break up the application into multiple attachments.
6. Having troubles? Please review our Homeowner videos at www.avalonweb.com. You may also view the link here: <https://www.avalonweb.com/how-to-submit-an-arc-application.html>

Email Submission:

1. Please ensure your Architectural Home Improvement application and supporting documents are complete.
2. Please email tarc2@avalonweb.com.

Home Improvement applications are available to be digitally filled out. However, the Neighbor Awareness page within the document may need to be printed.

If you need a hard copy please reach out to Management and we can mail you a copy, or you may pick one up at our office located at the address below.

We appreciate your willingness to improve the exterior of your home and look forward to assisting you through the process with the Homeowners Association.

Fairway at Redhawk Association
C/O Avalon Management
43529 Ridge Park Drive
Temecula, CA 92590
Phone: (951) 699-2918

EXHIBIT B Page 1 of 2
IMPACTED NEIGHBOR STATEMENT

It is the intent of the Design Review Committee to notify neighbors on any improvements which may impact their use and enjoyment of their property. The Committee and/or the Board may waive the requirement for neighbor notification on an individual basis. Neighbor approval or disapproval of a particular improvement shall only be advisory and shall not be binding in any way on the Design Review Committee's decision.

1. Definitions: Facing Neighbor, Adjacent Neighbor, and Impacted Neighbor.

 Facing Neighbor: Means the three (3) homes most directly across the street.

 Adjacent Neighbor: Means all homes with adjoining property lines to the Lot in question.

 Impacted Neighbor: Means all homes in the immediate surrounding area which would be affected by the construction of any improvements.

2. Improvements Requiring Notification

Any exterior improvements including but NOT limited to exterior painting.

3. Statement

The Facing, Adjacent and Impacted Neighbor Notification Statement set forth on the next page (Exhibit "B") must be provided to the Design Review Committee to verify the neighbors have been notified about the proposed improvements.

EXHIBIT B Page 2 of 2
FAIRWAY AT REDHAWK ASSOCIATION
FACING, ADJACENT AND IMPACTED NEIGHBOR NOTIFICATION STATEMENT

The attached plans were made available to the following neighbors for review:

Impacted Neighbor	Impacted Neighbor
Name _____	Name _____
Address _____	Address _____
Signature _____ Date _____	Signature _____ Date _____

Common Area or Back Yard - Rear of Home

Adjacent Neighbor		Adjacent Neighbor
Name _____	Name _____	Name _____
Address _____	Address _____	Address _____
Signature _____ Date _____	Name _____ Address _____	Signature _____ Date _____

Your Street - Front of Home

Facing Neighbor	Facing Neighbor	Facing Neighbor
Name _____	Name _____	Name _____
Address _____	Address _____	Address _____
Signature _____ Date _____	Signature _____ Date _____	Signature _____ Date _____

My neighbors have seen the plans I am submitting for Design Review Committee approval (see above verification). If any neighbor has a concern, they should notify Avalon Management in writing. Please note that neighbor objections do not in themselves cause denial of the plans, however, those concerns may be considered by the Committee. All above boxes must be filled out whether or not a signature has been obtained.


SUBMITTED BY:

Name: _____ Date: _____

Address: _____

Home Phone: _____

1. All color selections on your Paint Diagram must come from the same Color Scheme. These Fairways HOA approved schemes are available for viewing on the FairwayCommunity.com website, in the "Info" tab.
2. Downspout color must match the surface to which it is attached (usually the main stucco Body color).
3. Gutter color must match the surface to which it is attached (usually the Trim/Fascia color).
4. Decorative wrought iron must be painted Tricorn Black SW6258



5. Front Doors and Shutters should be painted a Front Door & Shutter color, though requests for Trim colors for these features will be considered by the Design Review Committee on a case-by-case basis.
6. Select a Trim color for the Trim/Fascia, Stucco Pop-Outs, and if desired the Chimney Cap.
7. Stucco Hardscape (usually low decorative stucco walls in your front yard landscape, if you have them) must be painted the same color as your main house stucco Body color. If these walls have caps on them, the caps may be painted to match the main house Trim color.
8. Garage Doors may be painted either your Body or Trim color, though the Design Review Committee will also consider Front Door & Shutter color requests for your Garage Door on a case-by-case basis.
9. If you have a Patio Cover that you wish to paint, then it should match your main house Trim color, though the Design review Committee will also consider Body and Front Door & Shutter color requests for your Patio Cover on a case-by-case basis.

**FAIRWAY AT REDHAWK ASSOCIATION
EXHIBIT D
NOTICE OF COMPLETION**

*Please **DO NOT** submit this form with your initial application. This form is to be completed and submitted upon completion of your approved improvements.*

Fairway at Redhawk Association
43529 Ridge Park Drive
Temecula, California 92590
PH: 951-699-2918 FX: 951-699-0522
Tarc2@AvalonWeb.com

Re: Application #: _____

Notice is hereby given that:

The undersigned is the owner(s) of the property located at:

(Street Address)

(City)

The work of improvement on the described property was COMPLETED ON THE ____ day of _____, 20__ in accordance with the Design Review Committee's written approval of the above owner's plans and submitted package.

Signature of Owner: _____

Dated: _____

Phone #: _____

Email: _____

Best Time to Contact
For Final Inspection: _____

(Pictures must be submitted with Notice of Completion)

DISCLAIMER

THE MATERIAL CONTAINED WITHIN THIS PACKET IS NOT INTENDED TO BE SUBSTITUTED FOR THE SERVICES OF AN ATTORNEY. THE LAW AND ITS INTERPRETATION ARE CONSTANTLY CHANGING.

PLEASE CONSULT YOUR PROFESSIONAL ADVISOR REGARDING YOUR INVOLVEMENT IN A COMMUNITY ASSOCIATION.